

abs(num)		
all(iterable)		True
any(iterable)		True
ascii(object)	ascii	ascii
bin(num)		
bool([value])	value	bool
bytearray(source)	source	bytearray
bytes(source)	source	byte
callable(object)		
chr(i)	ascii	
classmethod(function)		
compile(source, filename, mode)	source	code
complex([real[, imag]])		
delattr(object, name)	object	name
dict()		
dir([object])		
divmod(x, y)	x	y
enumerate(iterable, start=0)		
eval(expression)		
exec(object, globals, locals)	code	
filter(function, iterable)	function	True

(cont)		
float([x])		
format(value[, format_spec])		
frozenset([iterable])		
getattr(object, name[, default])		
globals()		
hasattr(object, name)		
hash(object)		hash
help(object)		
hex(x)		
id(object)		
input([prompt])		
int(x=0, base=10)		
isinstance(object, classinfo)		
issubclass(object, classinfo)		
iter(object[, sentinel])		sentinel True object
len(s)		s
list([iterable])		



By **simpleapples**

[cheatography.com/simpleapples/](https://cheatography.com/simpleapples/)

Published 30th May, 2018.

Last updated 30th May, 2018.

Page 1 of 5.

Sponsored by **Readability-Score.com**

Measure your website readability!

<https://readability-score.com>

(cont)

locals()  
map(function, iterable, ...)      function  
max(arg1, arg2, \*args[, key])  
memoryview(obj)  
min(arg1, arg2, \*args[, key])  
next(iterator, default)  
object()  
oct(x)  
open(file)  
ord(c)                              unicode      ascii      unicode  
pow(x, y[, z])                      x y z  
print(\*objects)  
property()                          getter getter deleter  
range(start, stop[, step])  
repr(obj)  
reversed(seq)  
round(number[, ndigits])

(cont)

set([iterable])  
setattr(object, name, value)  
slice(start, stop, step)  
sorted(iterable[, key][, reverse])  
staticmethod(function)  
str(object="")  
sum(iterable, start)  
super(type[, object-or-type])  
tuple(iterable)  
type(object)  
type(name, bases, dict)                      type  
vars(object)  
zip(\*iterables)  
\_\_import\_\_(name)

append(item)  
extend(lst)                              lst  
insert(index, element)  
remove(element)

C

By **simpleapples**  
[cheatography.com/simpleapples/](https://cheatography.com/simpleapples/)

Published 30th May, 2018.  
Last updated 30th May, 2018.  
Page 2 of 5.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

(cont)

index(element)

count(element)

pop(index)

reverse()

sort(key=..., reverse=...)

copy()

clear()

clear()

copy()

fromkeys(sequence[, value])      sequence    value

get(key[, value])                    key            value

items()                                tuple

keys()

popitem()

setdefault(key[, default\_value])    key    key    default\_value    key

pop(key[, default])                key    key    default

values()

update([other])                    other    other

remove(element)

add(elem)

copy()

clear()

a.difference(b)                      a    b

a.difference\_update(b)              a    a    b

discard(x)

a.intersection(\*other\_sets)        a

a.intersection\_update(\*other\_sets) a    a

a.isdisjoint(b)

a.issubset(b)                        a    b

pop()

a.symmetric\_difference(b)        a    b

a.symmetric\_difference\_update(b) a    b    a

a.union(\*other\_sets)                a

a.update(b)                          b    a

index(element)

count(element)

C

By **simpleapples**

[cheatography.com/simpleapples/](https://cheatography.com/simpleapples/)

Published 30th May, 2018.

Last updated 30th May, 2018.

Page 3 of 5.

Sponsored by **Readability-Score.com**

Measure your website readability!

<https://readability-score.com>

a[x]	x + 1
a[-x]	x
a[x:]	x + 1
a[:x]	x + 1
a[:-x]	x
a[x:y]	x + 1 y + 1
a[:]	a

capitalize()  
center(width[, fillchar])  
casefold()  
count(substring[, start[, end]])  
endswith(suffix[, start[, end]])  
expandtabs(tabsize) \t  
encode(encoding='UTF-8',errors='strict') unicode Python  
find(sub[, start[, end]]) -1  
format(p0, p1, ..., k0=v0, k1=v1, ...)  
index(sub[, start[, end]])  
isalnum()  
isalpha()  
isdecimal()  
isdigit()  
isidentifier()

### (cont)

islower()  
isnumeric() unicode  
isprintable()  
isspace()  
istitle()  
isupper()  
join(iterable)  
ljust(width[, fillchar]) fillchar  
rjust(width[, fillchar]) fillchar  
lower()  
upper()  
swapcase()  
rstrip([chars])  
strip([chars])

C

By **simpleapples**  
[cheatography.com/simpleapples/](https://cheatography.com/simpleapples/)

Published 30th May, 2018.  
Last updated 30th May, 2018.  
Page 4 of 5.

Sponsored by **Readability-Score.com**  
Measure your website readability!  
<https://readability-score.com>

(cont)

partition(separator) separator separator separator  
separator

maketrans(x[, y[, z]])

rpartition(separator) separator separator separator  
separator

translate(table)

replace(old, new [, old new count  
count])

rfind(sub[, start[, end]]) -1

rindex(sub[, start[,  
end]])

split([separator [, separator maxsplit  
maxsplit]])

rsplit([separator [, separator maxsplit  
maxsplit]])

splitlines([keepends]) keepends=True

title()

zfill(width) 0

format\_map(mapping)

C

By **simpleapples**

[cheatography.com/simpleapples/](https://cheatography.com/simpleapples/)

Published 30th May, 2018.

Last updated 30th May, 2018.

Page 5 of 5.

Sponsored by **Readability-Score.com**

Measure your website readability!

<https://readability-score.com>