

### Infoga Flags

|                     |                             |
|---------------------|-----------------------------|
| <b>-d/--domain</b>  | Target URL/Name             |
| <b>-s/--source</b>  | Source data                 |
| <b>-b/--breach</b>  | Check if email was breached |
| <b>-i/--info</b>    | Get email information       |
| <b>-r/--report</b>  | Simple text file report     |
| <b>-v/--verbose</b> | Verbosity level (1-3)       |
| <b>-H/--help</b>    | Displays help menu          |

### Infoga Source Options

|                |         |
|----------------|---------|
| <b>all</b>     | default |
| <b>google</b>  |         |
| <b>bing</b>    |         |
| <b>yahoo</b>   |         |
| <b>ask</b>     |         |
| <b>baidu</b>   |         |
| <b>dogpile</b> |         |
| <b>exalead</b> |         |
| <b>pgp</b>     |         |

### Examples

|  |  |
|--|--|
| <b>infoga -d [TARGET]</b>                | Search for email addresses from this domain                        |
| <b>infoga -d [TARGET] -s google</b>      | Search for email addresses from this domain using Google alone     |
| <b>infoga -d [TARGET] -v3</b>            | Verbose (level one) output of email addresses found                |
| <b>infoga -d [TARGET] -breach -v 1</b>   | Determine if any email addresses found have been found in a breach |
| <b>infoga -i [EMAIL] --breach</b>        | Check if a particular email was leaked in breach                   |
| <b>infoga -d [TARGET] -r results.txt</b> | Output results to a text file                                      |

### PhoneInfoga Available Commands

|              |                     |
|--------------|---------------------|
| <b>scan</b>  | Scan a phone number |
| <b>serve</b> | Serve web client    |

### PhoneInfoga Flags

|                                |   |
|--------------------------------|---|
| <b>scan -n/--number</b>        | Specify the phone number to scan (E164 or international format) |
| <b>scan -n/--number --help</b> | Show options and syntax for scan                                |
| <b>serve -p/--port</b>         | Specify port number to serve the web client                     |
| <b>serve --no-client</b>       | Disable web client and use REST API only                        |
| <b>serve --help</b>            | Show options and syntax for serving web client                  |

### PhoneInfoga Examples

|  |  |
|--|--|
| <b>phoneinfoga scan -n '+1(111) 111-1111'</b>      | Scan phone number                              |
| <b>phoneinfoga serve -p [PORT_NUM]</b>             | Spin up web server utility over specified port |
| <b>phoneinfoga serve --no-client -p [PORT_NUM]</b> | Use API only utility                           |



By **sir\_slammington**  
[cheatography.com/sir-slammington/](https://cheatography.com/sir-slammington/)

Published 1st May, 2022.  
 Last updated 2nd May, 2022.  
 Page 1 of 1.

Sponsored by **CrosswordCheats.com**  
 Learn to solve cryptic crosswords!  
<http://crosswordcheats.com>