

Overview	
<code>docker</code>	Run these <code>docker</code> sub-commands to have an overview of the Docker daemon.
<code>ps</code>	List running containers
<code>ps -a</code>	List all containers
<code>images</code>	List all images
<code>version</code>	Display version
<code>info</code>	Various informations on the Daemon

Building an image	
<code>docker build DIR</code>	Build an image from the current directory, by default. <b>Example:</b> <code>docker build -t my-image .</code>
<code>-t</code>	The tag of the built image

Running a container	
<code>docker run</code>	Run a container from a given image. <code>docker run IMAGE E-NAME</code>
<code>-d</code>	Run in background
<code>-i</code>	Interactive session
<code>-t</code>	TTY
<code>-p H:C</code>	Exposes the port <code>C</code> of the container to the port <code>H</code> of the host
<code>-v H:C</code>	Mount the host path <code>H</code> at the path <code>C</code> in the container
<code>--rm</code>	Remove the container when exited
<code>--name</code>	Give a name to the container

Docker-Compose	
<code>scale</code>	Scale the given container with the given amount of replicas.
<code>docker -compose scale CONTAINER_NAME REPLICAS</code>	
<code>ps</code>	List running containers of the stack
<code>rm</code>	Remove the containers
<code>build</code>	Force (re)build of the stack's containers

Docker-Compose (cont)	
<code>scale</code>	Scale the given container with the given amount of replicas.
<code>docker -compose scale CONTAINER_NAME REPLICAS</code>	
<code>ps</code>	List running containers of the stack
<code>rm</code>	Remove the containers
<code>build</code>	Force (re)build of the stack's containers

Managing a container	
<code>docker</code>	Run the following sub-commands followed by the container ID or name. <b>Example:</b> <code>docker kill nginx</code>
<code>logs</code>	Get the logs of the container
<code>--follow</code>	Follow the logs
<code>rm</code>	Remove the container
<code>-f</code>	Force removal of the container
<code>kill</code>	Kill the container
<code>inspect</code>	Inspect the details of a container

dock-cli	
<code>dock-cli [command]</code>	Manage the Docker application stack.
<code>start</code>	Start the application stack
<code>ps</code>	List running containers
<code>reset</code>	Reset the given containers
<code>docker :doctor</code>	Run a set of tests about the Docker setup
<code>docker :install</code>	Install Docker and configure it to have direct IP routing and DNS resolution with DnsDock

kubectl	
<code>mount --space=NAME ES</code>	Set the command
<code>config use-context NAME</code>	Change the current context
<code>get OBJECT [name]</code>	Get the given object with the name is given instead of a list
<code>-o yaml</code>	Outputs a YAML printing the details
<code>describe OBJECT NAME</code>	Describe the object display basics
<code>exec POD COMMAND</code>	Run a given command in the pod.
<code>-it</code>	Ask for an interactive session
<code>create -f FILE</code>	Create a resource from the file <code>FILE</code>
<code>delete OBJECT NAME</code>	Delete the object named <code>NAME</code>
<code>logs POD</code>	Get the logs of the named <code>POD</code>
<code>edit OBJECT NAME</code>	Edit the YAML of the object

---

<code>docker -co mpose [comman d]</code>	Manage the Docker application stack.
<code>up</code>	Run the stack
<code>-d</code>	Run in the background
<code>kill</code>	Kill all the containers or a specific one if precised

---



By **sroze**  
[cheatography.com/sroze/](http://cheatography.com/sroze/)

Published 1st September, 2016.  
Last updated 1st September, 2016.  
Page 1 of 2.

Sponsored by **CrosswordCheats.com**  
Learn to solve cryptic crosswords!  
<http://crosswordcheats.com>