

Clinic Quick Reference Cheat Sheet by stacyphuong via cheatography.com/21558/cs/4175/

Case Hx

1. Chief Complaint

What is the main reason for your visit?

2. History of present illness (HPI)

- F: How often does it occur?
- O: When did you first notice?
- L: Where do you experience this?

OD,OS,OU?

- D: How long does it last?
- A: Any associated sx such as HAs, red eyes, diplopia, blurry vision
- R: Does anything make it better?
- S: How severe?

3. Ocular History

LEE

Glasses or CL

Patching

Strabismus Surgery

VT

4. Medical History

LME

Medications

Allergies

5. Academic History

Current grade? Any repeated grade?

Academic struggle?

Any special testing?

6. Developmental History

Any complications at birth?

Birth weight? Premature?

Reaching milestones?

OT/PT/ST

Any behavioral issues?

7. Family History

Any significant family eye or medical

Any eye turns, vision loss, cancer, or systemic conditions that may put current pt at risk?

8. Social History

Do you smoke/drink/use drugs?

9. Occupation and Hobbies

By s

By stacyphuong

cheatography.com/stacyphuong/

Diabetic Case Hx

When were you dx?

Type I or Type II?

What medications are you taking?

Compliance of medications?

Do you check your blood sugar regularly? How often?

Last time you checked your blood sugar level?

What was the reading? Is that normal or avg for you?

Fasting or non-fasting?

Do you know your HbA1C?

When is your next F/U with your PCP?

Diagnosis of DM (any of the 4)

polydipsia/uria/phagia

fasting glucose >120 mg/dL

level

2hr blood glucose >200 mg/dL during

OGHTT

HbA1C >6.5%

Metformin (controlled)
Insulin (uncontrolled)

Duration >15yrs check for DR!

HTN Case Hx

When were you dx?

What medications are you taking?

Compliance of medication?

Do you check your BP regularly? How often?

When was the last time you had your BP taken?

What was the reading? Is that normal or avg for you?

HTN and High Cholesterol Norms				
Blood pressure	120/80 mmHg			
Total cholesterol	<200			
Triglycerides	<150			
LDL	<100			
HDL	>50			

Checking significantly reduced VAs

- 1. Counting fingers
- 2. Hand motion
- 3. Light projection
- 4. Light perception
- 5. NLP

Cover Test - Von Graefe Norms

Horizontal Distance	1 EXO +/-2
Horizontal Near	0-6 EXO
Vertical @ D/N	ortho

Vergence Norms

DBI:	x/7/4
DBO:	9/19/10
NBI:	13/21/13
NBO:	17/21/11
Supra/Infra @ D&N	3-4/1.5-2

Drug Dosing Abbreviations

QD = once a day

BID = twice a day

TID = three times a day

QID = four times a day

qh = every hour

PRN = as needed

qhs = every night

gtt(s) = drops (1 mL=20 drops)

Not published yet. Last updated 21st May, 2015.

Page 1 of 3.

Sponsored by **CrosswordCheats.com** Learn to solve cryptic crosswords! http://crosswordcheats.com



Clinic Quick Reference Cheat Sheet by stacyphuong via cheatography.com/21558/cs/4175/

Estimating Amplitude of Accomm. Minimum = 15 - 0.25(age) Average = 18.5 - 0.30(age)= 25 - 0.40(age) Maximum

Age Expected ADDs				
40-44	+1.00 to +1.25			
45-49	+1.25 to +1.50			
50-54	+2.00 to +2.25			
55-59	+2.25 to +2.50			
60 or older	+2.50 or more			

Anisometropic Amblyopia				
Муоріа	>3.00D			
Hyperopia	>1.00D			
Astigmatism	>1.50D			

Isoametropic Amblyopia	
Myopia	>8.00D
Hyperopia	>5.00D
Astigmatism	>2.50D

General Guidelines: Prescribing for Children

Age	Myopia	Hyperopia	Astigmatism
Infants (<1 year old)	≥ -5.00D should rx by 1 st year of life	RX @ +5.00D	≥ 2.50 and stable for 6 months
Toddlers (1-3 years old)	≥ -3.00D should rx in children 3 or older	RX @ +4.00D	RX only if older than 2, ≥ 1.25D and stable for 6 months
Preschoolers (4-5 years old)	≥ -1.50D	RX @ +3.00D	

AAO F	AO PPP Guidelines				
		0-1 years	1-2 years	2-3 years	
	Isometropia				
	Myopia	≥ -5.00	≥ -4.00	≥ -3.00	
	Hyperopia w/o strab	≥ +6.00	≥ +5.00	≥ +4.50	
	Hyperopia w/ET	≥ +3.00	≥ +2.00	≥ +1.50	
	Astigmatism	≥ 3.00	≥ 2.50	≥ 2.00	
	Anisometropia				
	Myopia	≥ -2.50	≥ -2.50	≥ -2.00	
	Hyperopia	≥ +2.50	≥ +2.00	≥ +1.50	
	Astigmatism	≥ 2.50	≥ 2.00	≥ 2.00	

Visual Fiel	d - Glaucoma
Minimum loss	✓ outside normal limits (GHT) ✓ Cluster of 3 or more non-edge points in same hemifield, at least 1p<1% ✓ PSD p<5%
Mild loss	✓ MD: <6dB ✓ PD: <25% of the points are below 5% and <half 1%="" 4="" <20db<="" are="" below="" central="" depressed="" have="" none="" of="" points="" td="" the="" those="" ✓=""></half>
Moderate loss	✓ MD: <12dB ✓ PD: <50% of the points are below 5% and <25% points are below 1% ✓ Only one hemifield has a raw value of <20dB, but not both ✓ Central 4 points: none have sensitivity <10dB
Severe loss	✓ MD depressed more than -12dB ✓ PD: >50% of the points are below 5% and >25% are below 1% ✓ Both hemifields have points <20dB ✓ Central 4 points: at least 1 has

REDO a	ny VF	wi	th m	ore than	2 FA	LSE	
POSITIV	/ES						
_							

<10dB

2 consecutive tests need to confirm VF loss

Mild NPDR	A Miero engum remo embal
IVIIIQ INPUR	✓ Micro-aneurysms only!✓ F/U: 9 months - 1 yr
	•
Moderate	✓ More than MA, but not
NPDR	severe (4-2-1)
	✓ F/U: 6 months
Severe NPDR	One of the following:
	✓ 4 quad of >20 dot and blots
	✓ 2 quad of venous beading
	✓ 1 quad of IRMA
	✓ F/U 3 months and refer for
	consult
Very Severe	At least two of the above 4-2-
NPDR	rule

✓ NVD any size with VH ✓ NVE 1/2DD with VH				
Follow Up Schedule				
Referral for serious problem	call after 1 week			
Ocular hypertension	RTC every 6			

Diabetic Eye Exams w/o

✓ Neo present, but not high risk

✓ NVD >1/4DD with or without VH

months

RTC every year


Low Risk

High Risk

By stacyphuong cheatography.com/stacyphuong/

Not published yet. Last updated 21st May, 2015. Page 2 of 3.

Sponsored by CrosswordCheats.com Learn to solve cryptic crosswords! http://crosswordcheats.com



Clinic Quick Reference Cheat Sheet by stacyphuong via cheatography.com/21558/cs/4175/

Follow Up Schedule (cont)	
If Rx was not given due to disease state	RTC in 4 months
CRVO/CRAO	RTC in 3 months
Macular edema (severe)	RTC within 1st week
Retinal hemorrhage	RTC in 1 week
Glaucoma (POAG)	RTC every 3 months
Spectacle/CL Rx released	RTC in 1 year

Measurements for Adult Multifocals	
Progressives	Dot the pupil
Lined Trifocals	Bottom edge of pupil
Bifocals	Bottom lid/lash margin

Bifocal Guidelins for Children	
< 2 years old	SV Rx
3-5 years old	FT 28 at mid pupil
6-8 years old	FT 28 at lower lid margin
> 9 years old	PAL



By **stacyphuong** cheatography.com/stacyphuong/

Not published yet. Last updated 21st May, 2015. Page 3 of 3. Sponsored by **CrosswordCheats.com**Learn to solve cryptic crosswords!
http://crosswordcheats.com