

Vocabulary

String	A list of characters such as numbers, letters, symbols
Variable	Holds a value and can be changed
Syntax	The set of rules that defines the combinations of symbols
Boolean	Identified True or False (true is not the same as True, false is not the same as False)
Modulo	Finds the remainder after division of one number by another

Variable Name

Good Variable Name
`my_string = "123"`
`_hello = "1"`
`mystring = 1`
`value1 = 1`
 #can have integers, lowercase/uppercase, underscores
 #the first character must be a lowercase/uppercase or an underscore

Bad Variable Name
`email@ = 2`
`1value = 2`

Upper Lower List

```
mystr = "hello THERE"
print(mystr.upper()) #Upper case all the letter in a word
print(mystr.lower()) #Lower case all the letter in a word
print(mystr.capitalize()) #Capital only first letter of first word
print(mystr.title()) #Capital first letter of every word.
#List in python
shoppinglist = ['Dogs', 'Cats', 'Mouses', 'Giraffe']
print(shoppinglist[2]) #Will print 'Mouses'
#while loop
item_number = 0
```

Upper Lower List (cont)

```
while item_number < len(shoppinglist):
    print("list item:", shoppinglist[item_number])
    item_number = item_number + 1
#for loop
other = 0
for cat in shoppinglist:
    other = other + 1
# print ("List item:", cat)
print(other)
```

Radius of a Circle

```
while True:
    #Ask the user for a radius of a circle
    user_radius = input("What is the radius of the circle ")
    #Convert the given radius to a floating point
    radius = (float(user_radius))
    #Make a variable called pi
    pi = 3.1415
    #Calculate the area of the circle using exponents
    area = (pi (radius * 2))
    #Display the area of the circle to the user
    print("The area of the circle is", area)
```

Guessing Game

```
#PWTk 1002
scores = 0
chances = 3
while chances > 0:
    print("-=-=-=-=-=-Guessing Game-=-=-=-=-=-")
    import random
    mylist = ['apple', 'banana', 'papaya', 'melon', 'orange', 'grape', 'mango']
    print(mylist)
    random_item = random.choice(mylist)
    user_guess = input("Guess a word: ")
    if user_guess == random_item:
        print("That's correct")
        scores = scores + 100
    print("Scores =", scores)
else:
```

Guessing Game (cont)

```
chances = chances - 1
print("Chances left: ", chances)
if user_guess in mylist:
    print("That's incorrect")
else:
    print("Sorry, that is not even in the list!")
if chances == 0:
    print("The word was: ", random_item)
    print("Final score =", scores)
    print("GAME OVER!!!!!!")
```

Calculator

```
def calc(num1, num2, operation):
    if operation == "sum":
        return sum(num1, num2)
    elif operation == "product":
        return product(num1, num2)
    elif operation == "diff":
        return diff(num1, num2)
    elif operation == "div":
        return div(num1, num2)
    else:
        print("Unknown Operation")
def sum(a, b):
    return a + b
def product(a, b):
    return a * b
def diff(a, b):
    return a - b
def div(a, b):
    if b == 0:
        return ("Error: Undefined value")
    else:
        return a // b
print(calc(12, 12, "sum"))
print(calc(9, 18, "diff"))
print(calc(20, 10, "product"))
print(calc(12, 4, "div"))
```



Fibonacci

```
num1 = 0
num2 = 1
fibonacci = num1 + num2
output = "0,1"
while fibonacci < 50:
output = output + "," + str(fibonacci)
num1 = num2
num2 = fibonacci
fibonacci = num1 + num2
print (output)
```

Fibonacci

```
num1 = 0
num2 = 1
fibonacci = num1 + num2
output = "0,1"
while fibonacci < 50:
output = output + "," + str(fibonacci)
num1 = num2
num2 = fibonacci
fibonacci = num1 + num2
print (output)
```

Loop Positive Integer

```
even = 0
odd = 0
while True:
user_input = int(input("Enter a number :"))
user = user_input % 2
if user_input > 0:
if user == 0:
even = even + 1
elif user != 0:
odd = odd + 1
print(user_input)
else:
print ("Even number = ", even)
print ("Odd number = ", odd)
break
```

Command

#	Add	# CAN WRITE
Hashtag	comment	ANYTHING HEREEEE
"" (3 Apostrophe)	Long comment	"" ALSO HEREEEEEE
print	To display something	print (var)
""	Assign something in a variable	mystr = ("George")
int()	Set the number to interger	integer = int(20) #with no decimal
str()	Convert a variable to string	String = str(integer)
input()	Gain information from the user	Name = input(" Put your name here: ")
float()	Convert the number with decimal	Num = float(2) #the answer will be 2.0
len()	Find the length of the string	num1 = ("George"),, num2 = len(num1) #Answer will be 6

Reverse

```
word = input("Input a word: ")
reverse = ""
letter_num = 0
while letter_num < len(word):
reverse = word[letter_num] + reverse
letter_num = letter_num + 1
for item in word:
reverse = item + reverse
print ("Reverse: ",reverse)
```

Loop Range

```
#Creating List
mylist = [1,2,3,4,5,6]
mylist2 = ['hi', 'hello', 'anything']
mylist3 = [1, 'hello', 2.5]
print (mylist)
print (mylist2)
print (mylist3)
#How to make a list with all numbers from 0-10
mynumbers = range(11) #0-10 (Number starts with 0)
for num in mynumbers:
print (num)
mylist2.append('another item') #Adding item in a list
print (mylist2)
```

Binary

```
while True:
user_number = input("Put the number: ")
number = int(user_number)
binary_string = ""
while (number > 0):
remainder = (number % 2)
binary_string = str(remainder) + binary_string
number = (number // 2)
print ("binary string is", binary_string)
```

Basic Info

Basic Python Programming Language

: (colon) = syntax

Syntax (=) Grammar

Variable = Something that cahnges(numbers, words)

Number vs Strings: my var = 1 + 2

print my var = 3

my var 2 = "1" + "2"

print my var "12"

hello= "hello" + "It's me"

print hello = "hellolt'sme"

If 1==2:

When you do division in programming the program will add decimal even if it doesn't have the decimal EX: 10.0



By [sura1234](#)

cheatography.com/sura1234/

Published 12th February, 2016.

Last updated 17th March, 2016.

Page 2 of 4.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish Yours!

<https://apollopod.com>

Basic Info (cont)

```
my var = "yourname"[0] (the first letter in
programming is 0 not 1)
== equal to
!= not equal to
> Greater than
>= Greater than or equal to
<= Less than or equal to
< Less than
print (len(fullname))
if 1 == 2:
print ("true")
else:
print ("false")
if 2 == 2:
print ("true")
else:
print ("flase")
print ("false2")
```

Return Max Number

```
def max2(num1, num2):
maxvalue = num1
if num2 > maxvalue:
masvalue = num2
return maxvalue
def max3(num1, num2, num3):
maxvalue = num1
if num2 > maxvalue:
maxvalue = num2
if num3 > maxvalue:
maxvalue = num3
return maxvalue
def maxlist(list):
maxvalue = list[0]
for num in list:
if num > maxvalue:
maxvalue = num
return maxvalue
print (maxlist([1,2,3,4,5]))
```

Palindrome

```
def isPalindrome(word):
reverse = ""
for item in user_word:
reverse = item + reverse
reverse_item = reverse
if reverse_item == user_word:
return True#"(reverse_item, ("is a palindrome"))
else:
return False#"(reverse_item, ("is not a
palindrome"))
while True:
user_word = input("Enter a word: ")
length = len(user_word)
if user_word == 'quit':
break
else:
print (length)
numlen = 0
while numlen < length / 2 + 1:
if user_word[numlen] != user_word[-numlen-1]:
print (user_word,"is not a palindrom")
break
numlen += 1
else:
print (user_word,"is a palindrome")
```

Mathematics

```
+ Addition
- Subtraction
* Multiplication
/ Division (Result with floating point)
// Division
** Exponent
% Modulo (Find remainder)
== Equal to
>= Greater than or equal to
<= Less than or equal to
!= Not equal to
< Less than
> More than
```

Number and String

```
"String" + "String" Put both string together
Number + "String" CRASH!
Number + Number Addition(Math)
"String" * "String" CRASH!
"String" * Number Print that string that number
times
Number * Number Multiplication(Math)
String ** String CRASH!
String ** Number CRASH!
Number ** Number Exponent(Math)
```

Hexadecimal

```
while True:
user_number = input("Put the number: ")
number = int(user_number)
#Loop the command
hex_string = ""
while (number > 0):
remainder = number % 16
if remainder == 10:
remainder = 'A'
elif remainder == 11:
remainder = 'B'
elif remainder == 12:
remainder = 'C'
elif remainder == 13:
remainder = 'D'
elif remainder == 14:
remainder = 'E'
elif remainder == 15:
remainder = 'F'
hex_string = str(remainder) + hex_string
number = number // 16
print ("hexadecimal string is 0x"+ hex_string)
```



By [sura1234](#)

cheatography.com/sura1234/

Published 12th February, 2016.

Last updated 17th March, 2016.

Page 3 of 4.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish Yours!

<https://apollopod.com>

Countdown

```
user_number = input("Please enter a number:
")
number = int(user_number)
countdown_string = ""
while number > 0:
countdown_string = countdown_string +
str(number)
number = number - 1
#add the number to the string
#subtract 1 from the number
print (countdown_string)
```

List RandomChoice

```
import random
intlist = [1, 2, 3, 4, 5]
random_int = random.choice(intlist)
print (intlist, random_int)
fplist = [2.2, 3.5, 4.8, 6.2, 7.9]
random_fp = random.choice(fplist)
print (fplist, random_fp)
strlist = ['burger', 'cheese', 'ham', 'bacon',
'sandwich', 'pizza']
random_str = random.choice(strlist)
print (strlist, random_str)
mylist = [4, 6, 8, 11.4, 12.8, 17.6,'coco', 'latte',
'mocha']
random_item = random.choice(mylist)
print (mylist, random_item)
myvar1 = 1
myvar2 = 2
myvar3 = 3
varlist = [myvar1, myvar2, myvar3]
random_var = random.choice(varlist)
print (varlist, random_var)
```

Area of Triangle

```
# Pom Wintakorn 1002
def areaofTriangle(base, height):
return 0.5 * base * height
user_base = float(input("Enter the base of the
triangle: "))
user_height = float(input("Enter the height of
the triangle: "))
```

Area of Triangle (cont)

```
print ("The area of the triangle is",
areaofTriangle(user_base, user_height))
area = areaofTriangle(user_base,
user_height)
def volumeofPrism(area, height):
return area * height
user_height2 = float(input("Enter the second
height of the triangle: "))
print ("The volume of the triangular prism is",
volumeofPrism(area, user_height2))
```

Loop Review

```
#While loop
mylist = [1,2,3]
index = 0 #set to 0 because that is the first item
in the list
while index < len(mylist):
print (mylist[index])
index = index + 1
#For loop
for item in mylist:
print(item)
```

List Practice

```
import random
intlist = [1, 2, 3, 4, 5]
random_int = random.choice(intlist)
print (intlist, random_int)
fplist = [2.2, 3.5, 4.8, 6.2, 7.9]
random_fp = random.choice(fplist)
print (fplist, random_fp)
strlist = ['burger', 'cheese', 'ham', 'bacon',
'sandwich', 'pizza']
random_str = random.choice(strlist)
print (strlist, random_str)
mylist = [4, 6, 8, 11.4, 12.8, 17.6,'coco', 'latte',
'mocha']
random_item = random.choice(mylist)
print (mylist, random_item)
myvar1 = 1
myvar2 = 2
myvar3 = 3
varlist = [myvar1, myvar2, myvar3]
```

List Practice (cont)

```
random_var = random.choice(varlist)
print (varlist, random_var)
```

Multiplication Table

```
def multiplicationTable():
innum = int(input("Enter a number: "))
for i in range(1,11):
output = innum*i
print (str(innum) + "*" + str(i) + "=" +
str(output))
multiplicationTable()
```



By [sura1234](#)

cheatography.com/sura1234/

Published 12th February, 2016.

Last updated 17th March, 2016.

Page 4 of 4.

Sponsored by [ApolloPad.com](#)

Everyone has a novel in them. Finish Yours!

<https://apollopad.com>