

### Accessors

private	class private
(default)	package private
protected	package private+subclass
public	any class

### Optional specifier

static	class method, accessed by class name or obj reference
abstract	w/o body, even empty {}
final	no overridden by subclass
synchronized	OCP, thread safe
native	interact with other language
strictfp	float point calc portable

### Return type

Required	void =return; or no return statement
void method(){return;}	void method(){}
String method(){return "";}	String method(){return null;}
String[] method(){return null;}	Integer method(){return null;}
void method(){return null;}	This not compiled
String method(){if ... return null; else return;}	Not compile

### Method name

follow variable naming rule
start with letters, &, _
can contains number
Can not start with number

### Parameter list

Must have a parameter list
if no parameter, use empty ()
parameter separated by ;

### Optional Exception List

throws exception\_name1, exception\_name-2,...

### Method body

MUST for all non abstract method, Could by empty {}  
 abstract method could not have a body, even empty {} one

### Order must be followed

accessor --optional-modifier -- return type name() optional-throws .... {}

accessor could be omitted for default access

accessor, return type, name, (), {} are required

signature: return type + name + ()

overloading: same name, but differs in parameter list, overloading won't care about return type

### varargs

```
//varargs=variable arguments,
//array but variable in length
//only last one parameter could be varargs
//accessed like array
public void walk (int start,
int...steps)
{ System.out.print(steps.length
+ ", " +steps[0]); }
```

### varargs (cont)

```
walk(1); //ArrayIndexOutOfBoundsException
walk(1,2) //1,2
walk(1,2,3); //2,2
walk(1,null); //NullPointerException
walk(1,new int[] {1,2,3}); //3,1
walk(1,new int[3]); //3,0
```

### protected members

pacakage	subclass	direct access	by obj ref
same	Yes	yes	yes
same	No	yes	Yes
diff	Yes	yes	No *
diff	diff	No	No

could access protected member from parent by obj ref of subclass itself

### Design static methods and fields

2 use cases

shared component among instances      util/helper which not require any obj state

2 calling approaches

by class name      by obj ref ( null obj can too)

Static variables      Counter, Constant

Static initializer-run once      static {...} //bad practice

import static java.util.Arrays.asList

import static java.util.Arrays.\*;

static import java.util.Arrays.\*;      syntax error

import static java.util.Arrays;      Can not static import class

### Design static methods and fields (cont)

Name conflicts: not compiled  
Solution: regular import, ref by classname

Object has its status, but shared the code, and static data

### Static vs instance

type	calling	legal	how
static method	static	Yes	Class name
static method	instance	No	create obj
instancd method	static	Yes	class name,obj ref
instance method	instance	Yes	obj ref

Object has its status, but shared the code, and static data

### Passing data among method

pass by value: change in callee not affect caller

pass by ref: change in callee do affect caller

Return value, if not used, will be discarded.

### Overloading a method

Method signature: name+parameter list

Overloading: same name+different parameters

varargs: 2nd test can't compile, varargs and array = same parameter list

### Overloading a method (cont)

void test(int... a){}; void test(int[] a){}

test(new {1,2,3}) call either

test(1,2,3) call test(int... a) only

autoboxing: void fly(int a){}; void fly(Integer a){};

fly(3) call fly(int a); if not exit, call fly(Integer a)

Ref type: void fly(Object o){};

fly(3):match fly(int) > fly(Integer) > fly(Object o)

Primitive: autocast(wider), explicitly cast(narrower)

overloading matching order

exact match -> unwrapping -> promotion -> wrapping -> varargs(exact match, promotion, wrapper)

promotion is an independent check, it retains no influence over wrapping check

void play(Long l){}

play(4); compile error, 2 step conversion, only 1 conversion allowed, play(4L) will work.

### Create constructors

Same name as class: no return type

default no-argument constructor: auto generated if no constructor provided

overloading of constructor: Constructor chain by this(...)

### Create constructors (cont)

Calling: This(...): not in first line of static method  
Constr uctor: method

new Constructor(...): Create new object

final field: must be initialized by the time of constructor completion

super(): call automatically in any constructor implicitly

all class are subclass of Object

order of initialization: super() is always call in every constructor implicitly; super(...)

must be called explicitly

super() -> static declaration and static {} as its order -> instance declaration and {} as its order -> constructor

### example

class Bunny{ public bunny(){ wrong }

public Bunny(){ OK

public void bunny(){ OK

public void Bunny(){ wrong



By **Jianmin Feng** (taotao) [cheatography.com/taotao/](https://cheatography.com/taotao/)

Not published yet.

Last updated 8th May, 2019.

Page 2 of 4.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>

### Encapsulating data

Encapsulation: binding fields with method; data hiding(hiding properties+implementation details): private fields+public setter and getter; purpose: data validation and integrity + flexibility code for upgrade and maintenance

private attributes      public getter(), setter(), isA()

**Immutable class**      Math, String

Class w/o public setter      no status change of object once created

safe to passing around and easy to maintain      better performance by limiting the number of copies ( string pool)

**String and StringBuffer**      Mutated by StringBuffer, return a String

### JavaNean

a class with no-argument constructor      naming convention: instance variable, getA, setA, isA,

reusable      easy to code

### Lambdas expression

#### Why lambdas?

less code      delayed implementation      declarative

**what's lambdas?**      a declarative block of code

passed to the associated 1 method interface, as delayed dynamic implement the method

#### Syntax

parameter      ->      body

### Lambdas expression (cont)

()->true      simplest format

a->a.c-anHop()      type is optional

(Animal a) -> {return a.canHop();}      can't miss ; or return if use{}; need () if has type

(a,b)->a.canHop()      () required if >1args; if >1 statement, need {}

**Context**      functional method to match the only method of an interface

replace the implementing class of the interface

parameter type will be get from the associated interface API

#### Notes

lambdas expr could access static/instance variable. method parameter and local variable also fine if not assigned a new value

can not redeclare a variable same name as local variable

(a,b)->{int a=0;return 5;}      won't compile

### Lambdas example - Predicate

```
//Predicate interface
public interface Predicate<T>{
    boolean test(T t); }

//
class Animal{
    private String canHop;
    public void setCanHop(boolean b)
    { canHop =b; }
    public boolean canHop()
    { return canHop; }
}

public interface CheckTrait
{ boolean test(Animal a); }

public class CehckIfHopper
implements CheckTrait{
    public boolean test(Animal a)
    { return a.canHop(); }
}

//compare
import java.util.function.Predicate;

public class TestLambdas {
    public static void main(String[] args) {
        Animal a1 = new Animal();
        a1.setCanHop(true);
        print(a1,a->a.canHop());
        // print2 (new checkIfHopper());
    }

    void print(Animal a, Predicate<Animal> p) {
        if (p.test(a) {} }

    void print2(Animal a, CheckTrait c) {
        if (c.test(a) {} }
    }
}
```



By **Jianmin Feng** (taotao)  
[cheatography.com/taotao/](https://cheatography.com/taotao/)

Not published yet.  
Last updated 8th May, 2019.  
Page 3 of 4.

Sponsored by **Readable.com**  
Measure your website readability!  
<https://readable.com>

### Lambdas example - Predicate (cont)

```
//for Predicate version, no interface and  
implementing class needed  
// {return a.canHop();} will be delayed  
dynamic implementation of test method in  
Predicate interface.
```

Type must match in lambda expr, or just do put type

### Lambdas - ArrayList.removeIf()

```
//Java 8 intergrated Predicate interface into  
ArrayList  
default boolean removeIf(Predicate<? super E>  
filter)  
arrayList.removeIf(s->s.charAt(0)!='h');
```

ArrayList<? super E> : super class of E, upper bound: "This  
can be cast to E".

ArrayList<? extends E>: hold type= subclass of E, lower  
bound: "E can be cast to this."

ArrayList< E>: holder type E

### What happens after new Constructor()

1. allocate memory space on the heap
2. create the object and instance variables are initialized with  
default value
3. explicit initialize the instance variables
4. constructor code are executed

Notes:static variable are initialized once for all objects to be  
created, so it is before step 2

for no argument constructor, super() is called first for initializ-  
ation

