

### Common Data Types

bool	1 byte
char	1 byte
int	4 bytes (at least 2 bytes)
long int	4 bytes
long long int	8 bytes

### Header Files & Common Includes

```
#include <filename>
#include <iostream> // cin & cout
#include <fstream> // file streams
#include <vector> // vectors
#include <string> // strings
```

### Operators

a + b	Addition
a - b	Subtraction
a * b	Multiplication
a / b	Division
a % b	Modulus
a -= b	(a-b) store in a
a += b	(a+b) store in a
a /= b	(a/b) store in a
a *= b	(a*b) store in a
a++	(a+1) store in a
a--	(a-1) store in a

### File IO

```
int main() {
    // this makes a new file
    stream
    ofstream fileStream;
    // open test.txt to write to
    fileStream.open("test.txt",
ios::out);
    if (fileStream.is_open()) {
        cout << "File opened!"
<< endl;
    }

    // write a line to the file
    fileStream << "Hello!\n";
    // must close to free the
    resource
    fileStream.close();
    return 0;
}
```

Note that you must *close* the file before you can *open* a new new one. **ios::out** means you want to write to the file and **ios::in** means you want to read from the file. You write to a *file stream* the same way you write to *cout*.

### Classes

```
class some_name {
private:
    int m_some_data1;
    double m_some_data2;
public:
    // this is a constructor
    some_name(int a, double b)
    {
        m_some_data1 = a;
        m_some_data2 = b;
    }
    // getters
    int get_some_data1() {
        return m_some_data1;
    }
    double get_some_data2() {
        return m_some_data2;
    }
};

int main() {
    /* makes a new object
    called name
    which is of some_name
    type */
    some_name name(0, 2.1);
    return 0;
}
```

Classes are just like user defined types like **int** or **double**. When an object is created it calls the *constructor*. The constructor is a function with the same name as the class.



By **Technecure**

[cheatography.com/technecure/](https://cheatography.com/technecure/)

Not published yet.

Last updated 15th July, 2019.

Page 1 of 2.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>

### Comparison Operators

<code>a &lt; b</code>	True if a is less than b
<code>a &lt;= b</code>	True if a is less than or = to b
<code>a &gt; b</code>	True if a is greater than b
<code>a &gt;= b</code>	True if a is greater than or = to b
<code>a == b</code>	True if a equals b
<code>a &amp;&amp; b</code>	True if a and b are true
<code>a    b</code>	True if a or b are true

Note: If they do not meet the criteria to be **true**, they are **false**

### Pointers

```
int main() {
    int x = 3;
    // & gets the memory
    address of x
    int* pointer_to_x = &x;
    / pointers must be derefe-
    renced with *
    before they are
    accessed. */
    *pointer = 5;
    return 0;
}
```

Note that pointers only hold a *memory address*. They cannot store anything else. In order to actually get the data at the address they must *dereference* it using the `*` operator.

### Pointers and References

`int* ptr = mem_address;` pointer definition  
`int& ref = other_var;` lvalue reference

Note: pointers hold a single memory address that you can change while a reference holds a single unchangeable memory address.

### Pointers

```
int main() {
    int x = 3;
    // & gets the memory
    address of x
    int* pointer_to_x = &x;
    / pointers must be derefe-
    renced with *
    before they are
    accessed. */
    *pointer = 5;
    return 0;
}
```

Note that pointers only hold a *memory address*. They cannot store anything else. In order to actually get the data at the address they must *dereference* it using the `*` operator.

### Functions & Prototypes

```
void foo(); // prototype
void bar(int i); // prototype w/
params
void foo() { // foo definition
    std::cout << "Foo function-
\n";
}
void bar(int i) { // bar
definition
    std::cout << "Bar: " << i
<< "\n";
}
int main() { // main definition
    foo(); // calls foo
function
    bar(2); // calls bar with 2
    return 0;
}
```

All programs must have a main function. This is the first function that gets called. All functions except main() should have a prototype.



By **Technecure**

[cheatography.com/technecure/](https://cheatography.com/technecure/)

Not published yet.

Last updated 15th July, 2019.

Page 2 of 2.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>