

ColdFusion Array Methods

.append()	ArrayAppend()
.avg()	ArrayAvg()
.clear()	ArrayClear()
.contains()	ArrayContains()
.delete()	ArrayDelete()
.deleteAt()	ArrayDeleteAt()
.each()	ArrayEach()
.filter()	ArrayFilter()
.find()	ArrayFind()
.findNoCase()	ArrayFindNoCase()
.findAll()	ArrayFindAll()
.findAllNoCase()	ArrayFindAllNoCase()
.insertAt()	ArrayInsertAt()
.isDefined()	ArraysDefined()
.isEmpty()	ArraysIsEmpty()
.len()	ArrayLen()
.map()	ArrayMap()
.max()	ArrayMax()
.min()	ArrayMin()
.prepend()	ArrayPrepend()
.resize()	ArrayResize()
.set()	ArraySet()
.slice()	ArraySlice()
.sort()	ArraySort()
.sum()	ArraySum()
.swap()	ArraySwap()
.toList()	ArrayToList()

ColdFusion Structure Methods

.isEmpty()	StructIsEmpty()
.append()	StructAppend()
.clear()	StructClear()
.copy()	StructCopy()
.count()	StructCount()
.delete()	StructDelete()
.find()	StructFind()
.findValue()	StructFindValue()
.update()	StructUpdate()

ColdFusion Structure Methods (cont)

.sort()	StructSort()
.insert()	StructInsert()
.each()	StructEach()
.keyArray()	StructKeyArray()
.keyExists()	StructKeyExists()
.keyList()	StructKeyList()

ColdFusion List Methods

.listAppend()	ListAppend()
.listChangeDelims()	ListChangeDelims()
.listContains	ListContains()
.listContainsNoCase()	ListContainsNoCase()
.listDeleteAt()	ListDeleteAt()
.listEach()	ListEach()
.listFind()	ListFind()
.listFindNoCase()	ListFindNoCase()
.listFirst()	ListFirst()
.listGetAt()	ListGetAt()
.listInsertAt()	ListInsertAt()
.listLast()	ListLast()
.listLen()	ListLen()
.listMap()	ListMap()
.listPrepend()	ListPrepend()
.listQualify()	ListQualify()
.listReduce()	ListReduce()
.listRest()	ListRest()
.listSetAt()	ListSetAt()
.listSort()	ListSort()
.listToArray()	ListToArray()
.listValueCount()	ListValueCount()
.listValueCountNoCase()	ListValueCountNoCase()

ColdFusion String Methods

.binaryEncode()	BinaryEncode()
.binaryDecode()	BinaryDecode()
.canonicalize()	Canonicalize()
.charsetEncode()	CharsetEncode()
.charsetDecode()	CharsetDecode()
.cJustify() .lJustify()	CJustify() LJustify()
.rJustify()	RJustify()
.compare()	Compare()
.compareNoCase()	CompareNoCase()
.encrypt() .decrypt()	Encrypt() Decrypt()
.find() .findNoCase()	Find() FindNoCase()
.findOneOf()	FindOneOf()
.formatBaseN()	FormatBaseN()
.generateSecretKey()	GenerateSecretKey()
.getToken()	GetToken()
.hash()	Hash()
.htmlCodeFormat()	HTMLCodeFormat()
.htmlEditFormat()	HTMLEditFormat()
.insert()	Insert()
.jsStringFormat()	JSStringFormat()
.lCase() .uCase()	LCase() UCase()
.left() .mid() .right()	Left() Mid() Right()
.len()	Len()
.lslsCurrency()	LslsCurrency()
.lslsDate()	LslsDate()
.lslsNumeric()	LslsNumeric()
.lsparseCurrency()	LsparseCurrency()
.lsparseEuroCurrenc	LsparseEuroCurrency()
y()	
.lsparseNumber()	LsparseNumber()
.paragraphFormat()	ParagraphFormat()
.parseDateTime()	ParseDateTime()
.lsparseDateTime()	LsparseDateTime()



ColdFusion String Methods (cont)

.reFind() .reFindNoCase()	REFind() REFindNoCase()
.reMatch() .reMatchNoCase()	REMatch() REMatchNoCase()
.removeChars()	RemoveChars()
.repeatString()	RepeatString()
.replace() .replaceNoCase()	Replace() ReplaceNoCase()
.replaceList()	ReplaceList()
.reReplace() .reReplaceNoCase()	REReplace() REReplaceNoCase()
.reverse()	Reverse()
.spanIncluding() .spanExcluding()	SpanIncluding() SpanExcluding()
.stripCR()	StripCR()
.toBase64()	ToBase64()
.toBinary()	ToBinary()
.toString()	ToString()
.trim() .lTrim() .rTrim()	Trim() LTrim() RTrim()
.urlEncodedFormat() .urlDecode()	URLEncodedFormat() URLDecode()
.val()	Val()
.wrap()	Wrap()
.xmlFormat()	XMLFormat()



By **TheNewCoke** (TheNewCoke)
cheatography.com/thenewcoke/

Published 12th August, 2016.
Last updated 12th August, 2016.
Page 2 of 2.

Sponsored by **Readability-Score.com**
Measure your website readability!
<https://readability-score.com>