

Sections of man pages

- 1 User-level commands and applications
- 2 System calls and kernel error codes
- 3 Library calls
- 4 Device drivers and network protocols
- 5 Standard file formats
- 6 Games and demonstrations
- 7 Miscellaneous files and documents
- 8 System administration commands
- 9 Obscure kernel specs and interfaces

Substitution order

1. Redirect I/O
2. Replace {} expansion
3. Replace `~` expansion
4. Params and variable expansion
5. Command (\$) substitution
6. Arithmetic expansion
7. Process <() substitution
8. Word splitting (IFS)
9. File name expansion

wget(1)

<code>-q, --quiet</code>	Turns off Wget's output
<code>-B, --base</code>	Relative links using URL
<code>-t, --tries</code>	Set number of retries
<code>-O {file -}</code>	Redirect output
<code>-T, --timeout</code>	Network timeout to seconds

date(1)

<code>-d, --date=</code>	Display time described, not now
<code>-s, --set=</code>	Set time to described ;
<code>%a, %A</code>	Sun, Sunday
<code>%b, %B</code>	Jan, January
<code>%c</code>	Thu Mar 3 23:05:25 2005
<code>%d</code>	day of month
<code>%F</code>	full date; same as %Y-%m-%d
<code>%H, %I</code>	hour (00..23), hour (01..12)
<code>%m</code>	month (01..12)
<code>%M</code>	minute (00..59)
<code>%s</code>	seconds since epoch
<code>%S</code>	second (00..60)
<code>%T</code>	time; same as %H:%M:%S
<code>%Y</code>	Year

tar(1)

<code>-c, --create</code>	create new
<code>-r, --append</code>	append files
<code>-t, --list</code>	list the contents
<code>-u, --update</code>	only append newer
<code>-x, --extract</code>	extract files
<code>-C, --directory</code>	change to directory
<code>=</code>	
<code>-f, --file=</code>	use archive file or device
<code>-j, --bzip2</code>	bzip2
<code>-z, --gzip</code>	gzip

sort(1)

<code>-b</code>	ignore leading blanks
<code>-d</code>	only blanks and alphanumeric
<code>-f</code>	case insensitive
<code>-i</code>	ignore non-printable
<code>-M</code>	compare 3-letter month
<code>-h</code>	human numeric (2K < 1G)
<code>-n</code>	numeric
<code>-R</code>	random short (hash)
<code>-r</code>	reverse result, i. e. descending
<code>-k</code>	Key start at pos (origin 1)
<code>-u</code>	Delete duplicates
<code>-z</code>	Zero terminated lines

read(1)

<code>-p <i>prompt</i></code>	Shows prompt text
<code>-r</code>	One line only (no backslash)
<code>-s</code>	Silent. No echo.
<code>-t</code>	Timeout in seconds
<code>-u <i>fd</i></code>	Read from file descriptor
<code>-n</code>	Number of chars
<code>-d</code>	Set delimiter

du(1)

<code>-a</code>	All files (not just dirs)
<code>--file s0- fro m=</code>	Null separated. '!' is stdin
<code>-h</code>	Human readable
<code>--max- depth</code>	'0' => just given argument



lvm(8) - pv / vg / lv

~change	Change attributes
~create	Initialize for use by LVM.
~display	Display attributes
~resize	Resize a LVM ~
~extend -L	Extends ~ by [+]bytes
~scan	Shows all LVM ~

Tips: `mkfs -t ext3 part/resize2fs lv_name`

/etc/passwd

login:passwd:UID:GID:info:home:shell

/etc/shadow

login:passwd:lastchange:mintime:maxtime:warntime:detime:lcktime:

passwd(1)

-e	Expire date
-d	Delete password
-l, -u	Lock or unlock
-n	Min days between changes
-x	Max days of validity
-w	Warn days before expire
-i	Deactivate days
-s	Show status of account

/etc/group

name:passwd:GID:login-list

Shell and tools (I)

type	Shows type of the program or command given as first parameter
stty	Change and print terminal line settings
chpasswd	Reads from stdin pairs of type USER:PASSWORD
id	Returns user info uid=10 00(name) gid=10 00(name). Exit code is set
bc	Math expressions from stdin. Tip: use <code>scale=n</code> ; for div precision
seq	[FISR [INCREMENT]] LAST

Shell and tools (II)


cat	who	whoami	head
echo	cp	mv	ln
mkdir	rm	rmdir	ln -s
cat	less	more	bg
tee	exec	jobs	fg
env	printenv	readonly	export
local	\$(())	pwd	ls
paste	uniq	wc -l	fmt
join	split	tac	rev
nl	expand	od	chown
chgrp	chmod	passwd	useradd
userdel	usermod	groupadd	

find(1) [OPTIONS]

-maxdepth	Descend at most levels
-mindepth	No actions at less than levels

find(1) [TESTS]

-n, n	greater, less, exactly <i>n</i>
-amin n	Last accessed <i>n</i> minutes ago
-atime n	Last accessed <i>n</i> days ago
-cmin, -ctime n	Last changed
-mmin, -mtime n	Last modified
-empty	Empty regular or directory
-execu table	File or directory +x
-group gname	File belongs to group
-gid n	Numeric group ID
-user uname	File belongs to user
-uid n	Numeric user ID
-name	Base name matches <i>pattern</i>
-iname	-name, but case insensitive
-path	File name matches <i>pattern</i>
-perm mode	Permission bits are...
g=u, +g=u, /g=u	exactly, at least, any of
-size n[cwbkMG]	File uses space
-type [bcdpfls]	File is of type
-readable	With read permission
-writable	With write permission



By Victor M. (torvic98)
cheatography.com/torvic98/
www.xdevelop.ml

Published 18th June, 2018.
 Last updated 18th June, 2018.
 Page 2 of 4.

Sponsored by [Readable.com](https://readable.com)
 Measure your website readability!
<https://readable.com>

find(1) [ACTIONS]

-delete	Delete files
-exec <i>cmd</i> ;	Execute for every file (multiple {})
-exec <i>cmd</i> +	Execute appending file (single {})
-fprint	Print into file
-ok <i>cmd</i> ;	Like -exec, but ask user first
-print0	Null seperated
-printf	Print with format

cut(1)

-b	Select bytes
-c	Select characters
-f	Select fields
-d	Field delimiter
--comp lement	Complement selector
N, N-, N-M, -M	Specifies selector

ping(8)

-c	Number of requests
----	--------------------

tail(1)

-c <i>K</i>	Bytes to print
-n <i>K</i>	Lines to print
<i>K</i>	May have suffix (b, kB, K...)
+ <i>K</i>	Print from...

ps(1)

-e	All process
-a	All except leaders and no-terminal
-g	By group
-p	By pid
-t	By tty
-u	By user
-F	Full output format
-o	Custom output format

wc(1)

-l	Number of lines
-w	Number of words
-c	Number of bytes
-L	Length of longest line

Predefined variables

\$0	Program name
\$1-\$9	Normal params
\${10}, \${11}...	More params
\$#	Number of params
\$*	List of params
@\$	List of params (*)
\$?	Exit status code
\$\$	Process id
\$!	Last child process id

(*) Use "\$@" when reading in for-loop

/etc/sudoers

```
user ALL=ALL
%group ALL=NOPASSWD:/usr/bin/true
```

Shell and tools (III)

```
if cond; then
[elif cond; then]
else
fi
IF=$' \t\n'
while cond
do
[break | continue]
done
until cond
for i in list
do
done
```


Shell special characters

'	"	\	&
<	>	<<	>>
*		?	[]
[!^]	\$;	'

Between " " only \$, `cmd` and \

Extended regex

.	[]	[^]	^
\$	*	()	\
{n,m}	+	?	\w
\s	\b	\B	



By Victor M. (torvic98)
cheatography.com/torvic98/
www.xdevelop.ml

Published 18th June, 2018.
 Last updated 18th June, 2018.
 Page 3 of 4.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>

egrep(1)

-e	Specifies the pattern
-f	Get patterns from file lines
-i	Case insensitive
-v	Select non-matching lines
-w	Match whole words only
-c	Show (non-)matching lines count
-q	Quiet (exit 0 when match)

test(1)

(EXPRESSION)	is true
! EXPRESSION	is false
EXP -a EXP	Logic AND
EXP -o EXP	Logic OR
-n STRING	Not null string
-z STRING	Null string
STR = STR	Strings are equal
STR != STR	Strings are different
INT -eq INT	Numbers are equal
INT -ne INT	Numbers are different
-ge, -gt	>=, >
-le, -lt	<=, <
FILE1 -ef FILE2	Same device and inode
FILE1 -nt FILE2	F1 is newer than F2
FILE1 -ot FILE2	F1 is older than F2
-b, -c, -d, -f	block, chars, dir, regular
-e, -r, -w, -x	exists, read, write, exec
-t FD	File descriptor FD is opened

stat(1)

-c	Specifies output format
%a, %A	Access rights octal, human
%b, %s	Size in block, bytes
%F	File type
%g, %G	Group owner id, name
%h	Number of names (links)
%i	Inode number
%n, %N	File name, quoted
%t, %T	Device major, minor
%u, %U	User owner id, name
%x, %X	Last access time, epoch
%y, %Y	Last modified time, epoch
%z, %Z	Last changed time, epoch

tr(1)

-c	Use complement of SET1
-d	delete chars from SET1

Translation occurs if -d is not given and both SET1 and SET2 appear. SET2 is extended to length of SET1 by repeating its last character as necessary. Excess characters of SET2 are ignored.

sed(1)

-e <i>cmd</i>	Multi-command mode
=	Current line number
`a`	Append text
`i`	Insert text
`c`	Replace lines
d	Delete pattern
s	Replace pattern

sed(1) (cont)


g	Apply globally (more than once)
[line_n [,line_n]] <i>command</i> [parameters]	
! line_n <i>command</i> [parameters]	
[line_n, \$] <i>command</i> [parameters]	

ps(1) [FORMAT]

pid	state	user
ruser	group	rgroup
pid	ppid	pgid
pcpu	nice	etime
time	tty	comm
args		

xargs(1)

-i	permite el uso de {}
-r	No run if empty
--null, -0	Null terminated args
-d	Delimiter
-n	Max args



By **Victor M.** (torvic98)
cheatography.com/torvic98/
www.xdevelop.ml

Published 18th June, 2018.
 Last updated 18th June, 2018.
 Page 4 of 4.

Sponsored by **Readable.com**
 Measure your website readability!
<https://readable.com>