

getServerKey

input eGateway_id,register_id,current_time

upload zipfile(341000000A.cer receiver_list.tmp envelope.xml[.sig] xxx.di.cns11643[.sig] xxx.sw.cns11643[.sig] attaches[.sig])

fromClientQueue

input eGateway_id,register_id,sender_id,exchangeid,clientsn,current_time,zipfile_md5

upload zipfile(341000000A.cer receiver_list.tmp envelope.xml[.sig] xxx.di.cns11643[.sig] xxx.sw.cns11643[.sig] attaches[.sig])

output xml

toClientMsgCmp

input eGateway_id,register_id,sessionkey

upload txt

output Zipfile(readme.xml)

toOldGWqueue

input eGateway_id,register_id,sender_id,exchangeid,clientsn,current_time,zipfile_md5

upload zipfile(341000000A.cer receiver_list.tmp old_receiver.tmp envelope.xml[.sig] xxx.di.cns11643[.sig] xxx.sw.cns11643[.sig] attaches[.sig])

output Zipfile(readme.xml)

C

By [vaga0](#)
cheatography.com/vaga0/

Not published yet.
Last updated 13th May, 2016.
Page 1 of 1.

Sponsored by [CrosswordCheats.com](#)
Learn to solve cryptic crosswords!
<http://crosswordcheats.com>