

### Délimiteurs

```

{{ Variable }}
{{ Var.attrib }}      {{ Var['attrib'] }}
{{ Variable | filtre | ... }}
{% Controle %}
{# Commentaires #}
    
```

### Controles

```

for else endfor      loop.xxx
if elif else endif
macro endmacro      call
filter endfilter
set                  set block endset
include              ignore missing
import               from import as
    
```

### Opérateurs

```

+      -      /      //
%      *      **
==     !=     >     >=
<      <=
and    or      not    (expr)
in     is      |      ~
./[]   foo.bar  foor['bar']
    
```

### Espaces

```

{% - - %}  supprime espaces avant ou après
{% +
    
```

### Filtre Chaines

```

capitalize(      center(value,width
s)
escape(s)        forceescape(value)
format(value,*args,**kwargs)
indent(s,width=4,indentfirst=False)
lower(s)         upper(s)
pprint(value,verbose=False)
replace(s,old,new,count=None)
string(obj       striptags(value)
ect)
title(s)         trim(value)
urlencode(value)
urlize(value,trim_url_limit,nofol
low,target)
wordcount(      xmlattr(d,autospace=
s)              True)
    
```

### Filtre Nombres

```

abs(number)      random(seq)
int(value,defa   float(value,defau
ult=0)           lt=0.0)
sum(iterable,attribute=None,start=0)
    
```

### Héritage

```

block name      endblock
extends "templfile"
self.name       super()
    
```

Les endblock peuvent être nommés

### Global

```

range(start,stop,step)
libsum(n=5,html=True,min=20,max=100)
dict(**item     class
s)              cyclcler(*items)
reset()         next()
current         class
                joiner(sep=',')
    
```

### Filtre Divers

```

attr(obj,name)   rejectattr()
default(value,default,boolean=False)|d
filesizeformat(value,binary=False)
safe(value)
select()         selectattr()
    
```

Utilisé dans {{ Variable | filtre | ... }} ou dans les commandes

### Filtre Liste

```

dictsort(value,case_sensitive=False,by='key')
first(seq)       last(seq)
groupby(value,attr map())
join(value,d='u',attribute=None)
lenght(object)   llist(value)
reverse(value)
select()         selectattr()
slice(value,slices,filter_with=None)
sort(value,reverse,case_sensistive,attribute)
sum(iterable,attribute=None,start=0)
    
```



Tests	
<code>callable(object)</code>	<code>divisibleby(value, num)</code>
<code>escaped(value)</code>	<code>mapping(value)</code>
<code>iterable(value)</code>	<code>sequence(value)</code>
<code>string(value)</code>	<code>number(value)</code>
<code>lower(value)</code>	<code>upper(value)</code>
<code>defined(value)</code>	<code>undefined(value)</code>
<code>none(value)</code>	
<code>even(value)</code>	<code>odd(value)</code>
<code>equalto(value, other)</code>	<code>sameas(value)</code>



By **Vicnet**  
[cheatography.com/vicnet/](http://cheatography.com/vicnet/)

Not published yet.  
Last updated 27th February, 2015.  
Page 2 of 2.

Sponsored by **CrosswordCheats.com**  
Learn to solve cryptic crosswords!  
<http://crosswordcheats.com>