

by warisara via cheatography.com/25793/cs/6930/

Vocabulary		
Variable	Hold a value and can be change	
String	A list of character such as number, better and symbols	
Integer number	Whole number/ counting number	
Float number	The umber in decimal	
Syntax	Grammar/Structure of language	
Modulo	Find the remainder	
Boolean	True/False	

Addition

string+string	combines the strings together
string+number	crash
number+number	math(addition)

Multiplication and Exponents

string* string	crash
string* number	combines the string multiple times
number*	math(multiply)
string** number	crash
number**	exponent(math)

Multiplication and Exponents (cont)

```
string** string crash
```

Example

```
mylist3 = [1, 'hello', 2.3]
print (mylist)
print (mylist2)
print (mylist3)
#how to make a list with all number
from 0-99
mynumbers = range(5)
for num in my numbers:
    print (num)
```

Example: Create function

```
def calc (num1, num2, operation) :
    if operation == "sum":
        return sum(num1,num2)
    elif operation == "product" :
        return product(num1,num2)
    elif operation == "diff" :
        return diff(num1,num2)
    elif operation == "div" :
        return div(num1,num2)
def sum (a, b) :
    return a + b
def product (a, b) :
   return a *b
def diff (a, b) :
    return a - b
def div (a, b) :
    if b != 0:
        return a /b
```

Example: Create function (cont)

```
else:
    print("Error")

print (calc(10, 0, "div"))
print (calc(1,2,"sum"))
print (calc(4,2,"diff"))
print (calc(9,3,"div"))
print (calc(2,12,"product"))
```

Maximum

```
write a function that returns the
largest of two values
# name: max2
# arguments: num1, num2
# return: the largest value
def max2 (num1, num2):
   maxvalue = num1
   if num2 > maxvalue:
        maxvalue = num2
   return maxvalue
print (max2(3,4))
# write a function that returns the
largest of three values
# name: max3
# arguments: num1, num2, num3
# return: the largest value
def max3 (num1, num2, num3):
   maxvalue = num1
    if num2 > maxvalue:
        maxvalue = num2
    if num3 > maxvalue:
       maxvalue = num3
    return maxvalue
```



By warisara cheatography.com/warisara/

Published 12th February, 2016. Last updated 22nd March, 2016. Page 1 of 6. Sponsored by ApolloPad.com

Cheatography

Pyhton Cheat Sheet

by warisara via cheatography.com/25793/cs/6930/

Maximum (cont)

```
print (max3(3,4,8))
# write a function that returns the
largest number in a list
# name: maxlist
# argument: list
# returns the largest value in the
list
def maxlist (list):
    maxvalue = list[0]
    for item in list:
        if item > maxvalue:
            maxvalue = item

    return maxvalue
list = [1,2,3,6,19,50,2,4,5]
print (maxlist(list))
```

Range()

```
#creates a list of numbers from 0
to the specified
number
numberlist = range(5)
# is the same as creating the
following list
numberlist2 = [0, 1, 2, 3, 4]
for num in range(100):
    print (num) # prints all
numbers from 0 - 99
for num in range(5, 50):
    print(num) #prints all numbers
from 5 - 49
```

From Worksheet

Write a program that repeatedly receives positive integers from the user. When the user enters a negative integer, exit the loop an print how many of the number entered were odd and even.

evencount = 0

From Worksheet (cont)

```
oddcount = 0
while True:
    user_input =
int(input("Enter the number: "))
    if user_number < 0:
        print("Even: ",evencount)
        print("Odd: ",oddcount)
        break
    elif user_input > 0:
        if user_input % 2
==0:#even
        evencount = evencount +
1
    else:
    oddcount = oddcount + 1
```

Even number from -100 to -1(While loop)

```
num = 0
while num > -100
  number = num -2
  print (num)
```

From worksheet

```
Determines that number is negative,

positive or zero

Ex; 4 is positive / 0 is Zero / -8

is negative

user_num = input ("Enter the

number")

user_num = int(user_num)

If user_num == 0

    print (user_num, "iszero")

elif user_num < 0:
    print (user_num," is

negative")

elif user_num > 0:

    print( user_num, "is
```

Write a function(multiplication table)

```
def multipicationTable():
    user_input = int(input("Enter a
number: ")
    num = 1
    while num <= 10:
        print (user_input, " ",
"num", "=", "user_inputnum")
        num = num + 1</pre>
```

Functions

```
print() Show information that you want on the screen
input() Gain info from the user
int() Change number to be number integer
float() Change number to be decimal number
str() All ;ist of number, letter and symbols
len() The length of the string
# Comment, no effect
```

Math

```
== equal to
!= no equal to

< less than
> more than

<= less than or equal to
>= more than or equal to

Modulo, Find the remainder
```



By warisara

cheatography.com/warisara/

Published 12th February, 2016. Last updated 22nd March, 2016. Page 2 of 6.

positive")

Sponsored by **ApolloPad.com**

by warisara via cheatography.com/25793/cs/6930/

Reverse Word

```
while True:
word = input("Please enter word")
index = 0
reverse = ' '
while int(index)<len(word)
        reverse = word[index] +
(reverse)
        index = int(index) + 1
print("Reverse:", reverse)</pre>
```

Import random

```
import random
intlist = [1, 2, 3, 4, 5]
random_int =
random.choice(intlist)
print (intlist, random_int)
fplist = [1.5, 2.5, 3.5, 4.5, 5.5]
random_fp = random.choice(fplist)
print (fplist, random_fp)
strlist = ['1', '2', '3', '4', '5']
random_str =
random.choice(strlist)
print (strlist, random_str)
mylist = [1, 2, 3, 4, 5, 1.5, 2.5,
3.5, 4.5, 5.5, '1', '2', '3', '4',
151]
random_item =
random.choice(mylist)
print (mylist, random_item)
myvar1 = 1
myvar2 = 2
myvar3 = 3
varlist = [myvar1, myvar2, myvar3]
random var =
random.choice(varlist)
print (varlist, random_var)
```

Function call

```
def printDefinitions (word):
     if word == "variable":
        # variable
        print ("""
        a variable is are nothing
but reserved memory locations to
store values or something that can
be change.
    elif word == "function":
        # function
        print ("""
        a function is the thing
that define and put the code in
there to reuse it again.
    elif word == "function call":
        #function call
        print ("""
        a function call is function
that already have code and can use
    elif word == "parameter":
        #parameter
        print ("""
        a parameter is something
that we put in function to define
variable
    elif word == "argument":
        #argument
        print ("""
        a argument is the
parameter.
```

Function call (cont)

```
elif word == "string":
    #string
    print ("""
    a string is a letter.
    """)
else:
    print ("Unknown word")
while True:
    user_input = input("Enter a
word to define: ")
    printDefinitions(user_input)
# function call
```

Forever While Loop

```
while True: # forever
    user_input = input('Enter a
number: ')
    number = int(user_input)
    print ('The number squared
is', number ** 2)
```

Decision Making/Conditional Statements:

```
if 3 < 2: #if statement must
compare two Booleans
    print ('3 is less than 2')
elif 4 < 2: #can have 0 or more
elif statements
    print ('4 is less than 2')
elif 5 < 2:
    print ('5 is less than 2')
else: #can have 0 or 1 else
statement at the end
    print ('none of the above are
True')</pre>
```

Lists:

```
mylist = [2,3,4,5] # create a list
#select an item from a list
print (mylist[0]) #selects first
item and displays 2
# len() determines the length of
the list
```



By warisara

cheatography.com/warisara/

Published 12th February, 2016. Last updated 22nd March, 2016. Page 3 of 6.

.....)

Sponsored by ApolloPad.com



by warisara via cheatography.com/25793/cs/6930/

Lists: (cont)

print (len(mylist)) # displays 4
mylist.append(5) # adds an item to
the end of the list

Exercise

```
'''1. Write a program that uses a
for loop to print out all the items
from a list
   called theList'''
theList = [1,2,3,4]
for item in theList:
   print(item)
'''2. Write a program that uses a
while loop to print out all the
items from a list
   called whileList'''
whileList=['bacon', 'cokezero',
'pepsi']
num = 0
while num < len(whileList):</pre>
   print(whileList[num])
   num = num + 1
'''3. Write a program that
repeatedly accepts user input,
prints out the length of
  whatever they type in and quits
when the user enters the word
'exit' '''
while True:
   user_input = input('Enter a
word: ')
    if user_input == 'exit':
       break
    else:
        print (len(user_input))
'''4. Create a function called
theFunction, that has no parameters
```

Exercise (cont)

```
and returns nothing. This function
should repeatedly accept user
input until
the user enters the word 'stop'.
Call this function and run it.'''
def theFunction():
    while True:
       user_input = input('Enter a
word: ')
        if user_input == 'stop':
           break
#call the function(function call)
theFunction()
'''5. Create a function called
computeThis, that takes two
parameters, a1 and b2.
The function should return the
product of both parameters. Call
this function
and print the result.'''
def computeThis(a1, b2):
    return a1 * b2
print ("Product of 2 and 3 =
",computeThis(2,3))
'''6. Create a function called
finalFunction, that has 1 argument
called string.
The function should print the
argument surrounded by "**" and
return nothing.
Call this function. '''
def finalFunction(string):
   print ('*' + string + '*')
finalFunction('hello')
```

Naming Convention

Rule for giving name

- letter
- numbers
- underscore_

Valid name

- _myStr
- mv3
- Hello_there

Invalid name

- 3my="hi" --cannot start with number
- first name="hi'
- first-name

Convert to binary

```
user_number = ' '
while user_number != ' 0 ' :
     user_number = input("Enter a
number to convert to binary")
     number = int(user_number)
     binary_string = ' '
while(number > 0):
      remainder = number%2
      binary_string =
str(remainder) + binary_string
       number = number / /2
print("Binary string is",
binary_string)
number = number/ / 2
print("Binary string is",
binary_string)
```



By warisara cheatography.com/warisara/

Published 12th February, 2016. Last updated 22nd March, 2016. Page 4 of 6. Sponsored by **ApolloPad.com**Everyone has a novel in them. Finish Yours! https://apollopad.com



by warisara via cheatography.com/25793/cs/6930/

Countdown Machine

```
user_number = input(:What number do
you want to countdown?")
number = int(user_number)
countdown_string = ' '
while number > 0:
    countdown_number =
countdown_string + str(number) + "
"
    number = number - 1
#print(number)
print (countdown_string)
```

Example

```
Print (2) - integer

Print (2.5) - floating point

Print ("Hello") - string

Print (mystr) - variable

Print (mystr. "Hi",2,1.0) -- commas

mystr = "Hi"

mystr ◀ name

"Hi" ◀ value can change

mtstr (int(int)) ➤ 1

print (int("2")) ➤ 2

print (float(1)) ➤ 1.0 anything to a float
```

Example

```
def myprint(text) : #mtvar is an
argument (parameter) to he function
    print ("" + str(text) + "")
    return #return exists the
function
myprint(1)
myprint(2.5)
myprint("hello")
```

Example (cont)

```
def myprintnew(text, decoration) :
#text and decoration are arguments
to the function
   print (decoration + text +
decoration)
    return
myprintnew("hello", "+++")
myprintnew("hello", "-=-=-=")
myprintnew("hello", ">>>>>")
def doubleIt(number) :
    return number * 2 #return
value
print (timesTwo(2))
myvar + timesTwo(timesTwo(3))
#same as timesTwo(6) bacuse
timesTwo(3) == 6
print (myvar) # it will display 12
def areaOfCircle(r):
   if r <= 0:
        return "Error: invalid
radius"
   pi = 3.1415
   area = pi r * 2
    return area
user_radius = float(input("Enter
the radius: ")
print ("The area of the circle is",
areaOfCircle(user_radius))
```

Conditional While Loop

```
count = 0 # start at zero
while count < 10: # loop while
count is less than 10
        print(count) #will print
numbers 0 - 9
        count = count + 1 #must
increase count</pre>
```

Printing values:

```
print("hello", "there") #displays
hello there
print("hello" + "there") #displays
hellothere
```

For-Loop with List:

```
forlist = [3, 4, 5, 2, 1]
for item in forlist:
    print(item)
```

While Loop with List:

```
thelist = [4, 3, 2, 1, 0]
index = 0 # start at the first
item
while index < len(thelist):
    print (thelist[index])
#prints each item
    index = index + 1</pre>
```

Comments

```
# hashtag - everything after # is
a comment not code
"""

Double quote - Multi-line comment,
everything in
between three double quotes is a
comments
"""

''' Single quote - Multi-line
comment, everything in
between three single quotes is a
comments '''
```

From worksheet

```
0
01
012
0123
01234
mystring = " "
```



By warisara

cheatography.com/warisara/

Published 12th February, 2016. Last updated 22nd March, 2016. Page 5 of 6.

Sponsored by ApolloPad.com



Pyhton Cheat Sheet by warisara via cheatography.com/25793/cs/6930/

From worksheet (cont)

```
count = 0
while count < 5:
    mystring = mystring +
str(count0
    print (mystring)
    count = count + 1</pre>
```

From worksheet

```
Use a for loop to print the
following:
0
012
0123
01234
mystring = ""
for num in range(5)
    mystring = mystring + str(num)
    print (mystring)
```

From worksheet

```
Create a program to receive a
number from the user and determine
if that number is divisible by3.
Example:
    9 is divisible by 3.
    7 is not divisible by 3.
user_num = int(input("Enter the number: "))
if user_num%3 == 0:
    print(user_num, "is divisible by 3")
else:
    print(user_num, " is not
divisible by 3")
```

Print all items in the list

```
Give a list called mylist, print
all items in the list using a loop.
mylist = [1,2,3,4]
for item in mylist:
    print (mylist)
Another method
num = 0
while num < len(mylist)
    print(mylist[num])
    num = num + 1</pre>
```



By warisara cheatography.com/warisara/

Published 12th February, 2016. Last updated 22nd March, 2016. Page 6 of 6. Sponsored by **ApolloPad.com**Everyone has a novel in them. Finish Yours! https://apollopad.com