

Arrays

Normal array

```
$myGadgets = array( 'iMac',
'iPad', 'iPhone');
```

Shorthand array

```
$myGadgets = ['iMac', 'iPad',
'iPhone'];
```

Associative array

```
$myGadgets = array( 'computer' => 'iMac', 'tablet' => 'iPad', 'phone' => 'iPhone');
echo $myGadgets['phone'];
(will output iPhone)
```

Append to an array

```
$myGadgets[] = 'sound dock';
```

Examine contents and structure of array

```
print_r($myGadgets);
```

Output a value from an array

```
echo $myGadgets[1];
(Will output 'iPad')
```

Convert entire array to string

```
echo implode(' ', $myGadgets);
(First argument is how you would like to separate each element)
```

Arrays are a good way to store several related items of data such as personal details (name, address, DOB)

Variables

Variables can store strings and numbers

```
$txt = "Hello world! ";
$x = 5;
$y = 10.5;
```

Variables can be outputted in the following way

```
$txt = "Will";
echo "My name is " . $txt . " !";
```

Use a global variable inside a function

```
$x = 5;
$y = 10;
function myTest() {
    global $x, $y;
    $y = $x + $y;
}
```

Loops

Loops (cont)

(The first parameter is the initial value of the variable, the second value controls how many times the loop will execute)

foreach loop

```
$myGadgets = array( 'iMac',
'iPad', 'iPhone');
foreach ($myGadgets AS $myGadget) {
    echo "<li> " . $myGadget . "</li>";
}
```

(Outputs each element of the array as a list item)

while loop

```
$x = 1;
while(x <= 5){
    echo "Hello World";
    x++;
}
(Loop continues until condition is no longer true)
*do while loop
$x = 1;
do {
    echo "Hello World";
    $x++;
} while ($x <= 5);
(Identical to a while loop except the code is executed once regardless of if the condition is met)
```

while - loops through a block of code as long as the specified condition is true

do while - loops through a block of code once, and then repeats the loop as long as the specified condition is true

for - loops through a block of code a specified number of times

foreach - loops through a block of code for each element in an array

String functions

Miscellaneous

Escaping characters

When using double quotes for example "hello world" you can escape characters with a backslash \

```
break; (stops loop)
exit; (stops php script)
```

Date and Time

```
h : 12 hr format
H : 24 hr format
i : Minutes
s : Seconds
u : Microseconds
a : Lowercase am or pm
l : Full text for the day
F : Full text for the month
j : Day of the month
S : Suffix for the day
Y : 4 digit year
echo date('h:i:s');
```

Post

```
$firstName = $_POST['fname'];
```

for loop

```
for ($x = 5; $x <= 100; $x++) {  
    echo "The number is " . $x;  
}
```

```
explode(string_separator, $str,  
limit);  
implode(string_separator,  
array);  
str_replace(find, replace,  
string, count);  
str_word_count(string,  
return, char);  
strlen($str);  
strtolower($str);  
strtoupper($str);  
trim($str, chars);  
wordwrap($str, width, break,  
cut);  
substr($str, start, length)
```

Not all parameters required.



By **williamdavies**

cheatography.com/williamdavies/

Not published yet.

Last updated 13th May, 2016.

Page 1 of 2.

Sponsored by **Readable.com**

Measure your website readability!

<https://readable.com>