

Manipulating dataframes

Adding new columns

```
mydata <- transform(mydata, sumx = x1 + x2, meanx = (x1 + x2)/2)
```

```
total <- cbind(A,B) - each object to have same no. of rows and sorted in same order
```

```
merge(dfa, dfb, by = c("ID", "Country"))
```

Adding new rows

```
total <- rbind(A, B) - each object to have same variables
```

Recoding variables

```
leadership <- within(leadership, { agecat <- NA agecat[age > 75] <- "Elder" agecat[age >= 55 & age <=75] <- "Middle Aged" agecat[age < 55] <- "Young"})
```

Other recoding functions: car package -
recode(), doBy package -
recodevar(), cut() in R

Renaming variables

```
reshape package - rename()
```

```
rename(dataframe, c(oldname="newname", oldname="newname", ...))
```

```
names() - names(leadership) [6:8] <- c("item1", "item2", "item3")
```

Missing values

```
is.na(), na.rm=TRUE, na.omit() - deletes any row with missing data
```

Date values

```
as.Date(x, "input_format")
```

Default format: yyyy-mm-dd

Manipulating dataframes (cont)

```
Sys.Date(), date(),  
difftime(date1, date2,  
units="weeks")
```

Converting character to dates:
help(as.Date), help(strftime)

Formatting dates and time:
help(lubridate)

lubridate and fcalendar package

Sorting data

order(): default ascending, prepend sorting variable with - for descending

```
e.g. df2 <- df[order(df$gender, -df$age),]
```

Date formats

%d	Day as a number (0-31)	01-31
%a	Abbreviated weekday	Mon
%A	Unabbreviated weekday	Monday
%m	Month (00-12)	00-12
%b	Abbreviated month	Jan
%B	Unabbreviated month	January
%y	2-digit year	07
%Y	4-digit year	2007

Type conversions

is.numeric()	as.numeric()
is.character()	as.character()
is.vector()	as.vector()
is.matrix()	as.matrix()
is.data.frame()	as.data.frame()
is.factor()	as.factor()
is.logical()	as.logical()

Subsetting datasets

Selecting variables

```
new <- df[, c(6:10)]
```

```
new <- df[c("q1", "q2", "q3")]
```

```
myvars <- paste("q", 1:3, sep="")
```

```
new <- df[myvars]
```

Excluding variables

```
myvars <- names(leadership) %in% c("q1", "q2")
```

```
new <- df[!myvars]
```

```
new <- df[-1, -2]
```

```
df$q1 <- NULL
```

Selecting observations

```
new <- df[1:3, ]
```

```
new <- df[which(df$q1=="M" & df$q2 >30), ]
```



By xeonkai

cheatography.com/xeonkai/

Not published yet.

Last updated 8th November, 2016.

Page 1 of 5.

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>

Subsetting datasets (cont)

Random Samples

```
mysample <-
df[sample(1:nrow(df), 3,
replace=FALSE),]
```

sampling and survey package

subset() function

e.g.

```
new <- subset(df, age >=35 | age <
24, select = c(q1, q2, q3))
new <- subset(df, gender == "M" &
age >25, select = gender:q3)
```

SQL in R

sqldf package

```
library(sqldf)
new <- sqldf("select * from mtcars
where carb=1 order by mpg",
row.names=TRUE)
sqldf("select avg(mpg) as avg_mpg,
avg(disp) as avg_disp, gear from
mtcars where cyl in (4,6) group by
gear")
```

Mathematical functions

abs(x) Absolute value

sqrt(x) Square root. Same as
 $25^{(0.5)}$.

ceiling(x) Smallest integer not less than x

floor(x) Largest integer not greater than x



By **xeonkai**

cheatography.com/xeonkai/

Mathematical functions (cont)

trunc(x) Integer formed by truncating values in x towards 0

round(x, digits=n) Round x to the specified number of decimal places

signif(x, digits=n) Round x to the specified number of significant digits

cos(x), sin(x), tan(x) Cosine, sine, and tangent

acos(x), asin(x), atan(x) Arc-cosine, arc-sine and arc-tangent

cosh(x), sinh(x), tanh(x) Hyperbolic cosine, sine, and tangent

acosh(x), asinh(x), atanh(x) Hyperbolic arc-cosine, arc-sine, and arc-tangent

log(x, base=n) Logarithm of x to the base n

log(x) Natural logarithm

log10(x) Common logarithm

Mathematical functions (cont)

exp(x) Exponential function

Statistical functions

mean(x) Mean

median(x) Median

sd(x) Standard deviation

var(x) Variance

mad(x) Mean absolute deviation

quantile(x, probs) Quantiles where x is the numeric vector of quantiles and probs is a numeric vector with probabilities in [0,1]

```
y <- quantile(x,
c(.3,.84))
```

range(x) Range

diff(range(x)) returns difference between extreme values

sum(x) Sum

Not published yet.

Last updated 8th November, 2016.

Page 2 of 5.

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>

Statistical functions (cont)	Probability functions (cont)	Character functions
<pre>diff(x, lag=n) min(x) max(x) scale(x, center=TRUE, scale=T) RUE)</pre> <p>Trimmed mean - dropping top and lowest 5% and missing values</p> <pre>y <- mean(x, trim=0.05, na.rm=TRUE)</pre>	<pre>geom hyper lnorm logis multinom nbinom norm pois signrank t unif weibull wilcox</pre> <p>General form of probability function: <code>[dpqr]distribution_abbreviation()</code> <code>d</code> = density <code>p</code> = distribution function <code>q</code> = quantile function <code>r</code> = random generation (random deviates)</p>	<pre>nchar(x) substr(x, start, stop) x <- "abcdef" substr(x, 2, 4) returns "bcd"</pre> <pre>substr(x, 2, 4) <- "22222" produces "a222ef"</pre> <pre>grep(pattern, x, fixed=FALSE - ignore.case= FALSE, fixed=FALSE)</pre> <pre>sub(pattern, replacement, x, ignore.case= FALSE, fixed=FALSE)</pre> <pre>strsplit(x, split, fixed=FALSE)</pre> <pre>y <- strsplit("abc", "") returns 1-component, 3- element list containing "a" "b" "c".</pre>



Character functions (cont)

unlist(y) [2] and sapply(y,
" [", 2) both return "b".

paste(.., ..,
sep = "")
Concatenate strings after using
sep string to separate them

paste("x", 1:3, sep = "M")
returns
c("xM1", "xM2", "xM3")

toupper(x)
Uppercase

tolower(x)
Lowercase

Other useful functions

length(x) Length of object x

seq(from, to, by)
Generate a sequence

rep(x, n) Repeat x n times

cut(x, n)
Divide continuous variable x into
factor with n levels.
ordered_result = TRUE
creates an ordered factor.

Other useful functions (cont)

pretty(x,
n) Create pretty breakpoints.
Divide a continuous variable x
into n intervals, by selecting n+1
equally spaced rounded values.
Often used in plotting.

cat(...,
file = "myf
ile",
append = F
ELSE)
apply(x,
MARGIN,
FUN, ...)
Concatenates the objects in ...
and outputs them to the screen
or to a file

Escape characters:

\n - new lines
\t - tabs
\' - single quote
\b - backspace

Control flow

FOR for (var in seq) statement
WHILE while (cond) statement
IF-ELSE if (cond) statement

Control flow (cont)

if (cond) statement1 else
statement2

IFELSE ifelse(cond, statement1,
statement2)

SWITCH switch(expr, ...)

statement - single R statement or
compound statement enclosed in {} and
separated by ;
cond - expression that resolves to TRUE or
FALSE
expr - statement that evaluates to number or
character string
seq - sequence of numbers or character strings

Example for switch

```
feelings <- c("sad", "afraid")
for (i in feelings)
  print(
    switch(i,
      happy = "I am glad you are
      happy",
      afraid = "There is nothing
      to fear",
      sad = "Cheer up",
      angry = "Calm down now"
    )
  )
```



By **xeonkai**
cheatography.com/xeonkai/

Not published yet.
Last updated 8th November, 2016.
Page 4 of 5.

Sponsored by **CrosswordCheats.com**
Learn to solve cryptic crosswords!
<http://crosswordcheats.com>

Aggregation and restructuring

`t()` Transpose


`aggregate` Aggregate (by variables must be a list)

(`x`, `by`,

`FUN`)

```
new <- aggregate(mtcars,  
by=list(Group.cyl=cyl,  
Group.gears=gear), FUN=mean, na.rm=TRUE)
```

Reshape package



By **xeonkai**

cheatography.com/xeonkai/

Not published yet.

Last updated 8th November, 2016.

Page 5 of 5.

Sponsored by **CrosswordCheats.com**

Learn to solve cryptic crosswords!

<http://crosswordcheats.com>